

---

## MATERIAL SAFETY DATA SHEET

### Scratch off and Signature Panel Foil

CODES: SOF, SP

#### STATEMENT OF HAZARDOUS NATURE

*This product is non-hazardous according to the criteria of Worksafe Australia.  
All components are listed on the AICS*

#### IDENTIFICATION

<b>Un Number:</b>	n.all.
<b>Dangerous goods class and subsidiary risk:</b>	n.all.
<b>Packing Group:</b>	n.all.
<b>Hazchem code:</b>	n.all.
<b>Poisons schedule number:</b>	n.all.
<b>Use:</b>	Coated polyethylene terephthalate magnetic film

#### Physical Description/Properties

Appearance:	Coloured and Pattern Foils
Boiling Point:	n.a.
Vapour Pressure:	n.a.
Specific Gravity:	1.4 g/cm <sup>3</sup>
Flashpoint:	n.a.
Flammability Limits:	n.a.
Solubility in Water:	Insoluble
<b>Other Properties:</b>	May ignite and burn at temperatures > 400°C. Softens at temperatures > 260°C

#### Ingredients

<u>Chemical Name:</u>	<u>CAS Number:</u>
<u>Proportion(%):</u> Contains ingredients determined to be non-hazardous or below cut-off concentrations	n.a. 100 %
Typical x-ray fluorescence analysis:	
Iron 8.8 %	Zirconium 0.051%
Silicon 0.24 %	Aluminium 0.012 %
Sulphur 0.22 %	Potassium Nil
Calcium 0.21 %	Sodium Nil

<b>2. HEALTH HAZARD INFORMATION</b>
-------------------------------------



<b>Respiratory:</b>	Not required in normal use. Wear SCBA in the event of fire.
<b>Eyes:</b>	Not required in normal use.
<b>Gloves:</b>	Not required in normal use.
<b>Clothing:</b>	Wear normal work clothes. Industrial safety boots or shoes are recommended

**Flammability/Explosion Hazard:**

May ignite and burn at temperatures > 400°C. Emits toxic gases when thermally decomposing.

**Storage and Transport:**

Store in a cool, dry and well-ventilated area. Regulatory requirements under the ADG Code, the IMDG Code or the IATA DG Regulations do not apply to the transport of this product.

**Spills and Disposals:**

Collect and return to store any product that falls from fork-lift truck or other handling devices. Waste product is suitable for high temperature incineration or landfill. Disposal must be in accordance with local regulations.

**Fire Advice****Extinguishing Agents:**

Water as fog or fine spray. Dry Chemical or Carbon Dioxide fire extinguishers for small fires.

**Precautions for fire-fighters**      Wear SCBA and full turn out uniforms.

**Decomposition By-Products:**      During combustion may emit Carbon Dioxide, Carbon Monoxide and Hydrogen Chloride.

**Contacts:**

**For technical enquiries during normal working hours:**      **+61 2 9661 6511**

**Disclaimer**

*The information in this MSDS was obtained from sources which we believe to be reliable. However, since much of the information has been received from sources outside the company, it is provided by GreenCorp Pty Ltd and SSC Pty Ltd without any warranty, expressed or implied, regarding its correctness, or suitability for specific situations. The conditions of handling, storage, use, and disposal of this product are beyond our control and may be beyond our knowledge. The user has the sole responsibility of determine the suitability of the material for any use, and the manner and conditions of the use. Therefore, we cannot assume responsibility and expressly disclaim liability for loss, damage, injury, or expense arising out of, or in any way connected with, the handling, storage, use or disposal of the product.*